

2-26008 - 720C0001

CONTENTS

<p>S. VACHIRASRICIRIKUL, I. NGAMROO and S. KAITWANIDVILAI</p> <p>W. OUYANG, H. CHENG, X. ZHANG and L. YAO</p> <p>H. M. HASANIEN, S. M. MUYEEN and J. TAMURA</p> <p>E. KAVAK AKPINAR</p> <p>N. BIGDELI, K. AFSHAR and M. FOTUHI-FIRUZABAD</p> <p>A. MELLIT and A. M. PAVAN</p> <p>E. TAVAKOLI and R. HOSSEINI</p> <p>X. ZHANG and D. LIU</p> <p>P. BRAUN and R. RÜTHER</p> <p>V. JOVAN, M. PERNE and J. PETROVČIĆ</p> <p>A. BOUAFIA, J.-P. GAUBERT and F. KRIM</p> <p>V. TALAEIZADEH, R. KIANINEZHAD, S. G. SEYFOSSADAT and H. A. SHAYANFAR</p> <p>M. SOLTANI and S. MOHAMMAD TAGHI BATHAEE</p> <p>W. R. WAGAR, C. ZAMFIRESCU and I. DINCER</p> <p>J. LEE, S. PARK and W. SUNG</p> <p>H. TIAN, Y. MA, M. LI and W. WANG</p> <p>X. YUAN, Y. WANG, J. XIE, X. QI, H. NIE and A. SU</p> <p>M. ÜBEYLI and A. ACIR</p> <p>A. S. DALKILIC and S. WONGWISES</p>	<p>2383</p> <p>2394</p> <p>2402</p> <p>2407</p> <p>2419</p> <p>2431</p> <p>2442</p> <p>2449</p> <p>2457</p> <p>2467</p> <p>2473</p> <p>2482</p> <p>2492</p> <p>2501</p> <p>2510</p> <p>2516</p> <p>2523</p> <p>2531</p> <p>2535</p>	<p>Coordinated SVC and AVR for robust voltage control in a hybrid wind-diesel system</p> <p>Distribution network planning method considering distributed generation for peak cutting</p> <p>Torque ripple minimization of axial laminations switched reluctance motor provided with digital lead controller</p> <p>Drying of mint leaves in a solar dryer and under open sun: Modelling, performance analyses</p> <p>Bidding strategy in pay-as-bid markets based on supplier-market interaction analysis</p> <p>Performance prediction of 20 kW_p grid-connected photovoltaic plant at Trieste (Italy) using artificial neural network</p> <p>Pressure losses and flow patterns in 3D axial flow between corrugated plates</p> <p>Optimum geometric arrangement of vertical rectangular fin arrays in natural convection</p> <p>The role of grid-connected, building-integrated photovoltaic generation in commercial building energy and power loads in a warm and sunny climate</p> <p>An assessment of the energetic flows in a commercial PEM fuel-cell system</p> <p>Design and implementation of predictive current control of three-phase PWM rectifier using space-vector modulation (SVM)</p> <p>Direct torque control of six-phase induction motors using three-phase matrix converter</p> <p>Development of an empirical dynamic model for a Nexa PEM fuel cell power module</p> <p>Thermodynamic performance assessment of an ammonia-water Rankine cycle for power and heat production</p> <p>An experimental study on the productivity of dissociated gas from gas hydrate by depressurization scheme</p> <p>Study on expansion power recovery in CO₂ trans-critical cycle</p> <p>Optimal self-scheduling of hydro producer in the electricity market</p> <p>Neutronic investigation on the ARIES-ST fusion reactor with fissionable molten salts</p> <p>New experimental approach on the determination of condensation heat transfer coefficient using frictional pressure drop and void fraction models in a vertical tube</p>
---	---	--

(Contents continued on inside back cover)

Energy Convers. Mgmt is indexed/abstracted in Res. Alert, Biosis Data., CAB Inter., Cam. Sci. Abstr., Chem. Abstr. Serv., Curr. Cont./Eng. Tech. & Applied Sci., Eng. Ind., Environ. Per. Bibl., INSPEC Data., Curr. Cont. Sci. Cit. Ind., Curr. Cont. SCISEARCH Data., SSSA/CISA/ECA/ISMEC, Applied Sci. & Tech. Ind., Applied Sci. & Tech. Abstr. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.



0196-8904(201012)51:12;1-G



ELSEVIER

(Contents continued from outside back cover)

- R. TANG, Y. CHENG, M. WU, Z. LI and Y. YU
- S. APHORNRATANA and T. SRIVEERAKUL
- X. LIU, X. MEI, Y. LI, J. R. PORTER, Q. WANG and Y. ZHANG
- M.-F. LI, H.-B. LIU, P.-T. GUO and W. WU
- L. DOS SANTOS COELHO and V. C. MARIANI
- A. YUAN, X. WANG, Y. WANG and J. HU
- A. DEMIRBAS
- S. SANAYE and B. NIROOMAND
- B. VURAL, O. ERDINC and M. UZUNOGLU
- R. RIVERA-TINOCO, C. MANSILLA and C. BOUALLOU
- K. ALANNE, N. SÖDERHOLM, K. SIRÉN and I. BEAUSOLEIL-MORRISON
- J. M. YUSTA, F. TORRES and H. M. KHODR
- T.-Y. HSIAO and C.-N. LU
- N. F. DÍAZ and C. CUEVAS
- H. SHAYEGHI, H. A. SHAYANFAR, S. JALILZADEH and A. SAFARI
- H. SHAYEGHI, M. MAHDAVI, A. KAZEMI and H. A. SHAYANFAR
- J. C. LAM, K. K. W. WAN, D. LIU and C. L. TSANG
- B. GIN, M. M. FARID and P. K. BANSAL
- W.-M. LIN, H.-J. GOW and M.-T. TSAI
- H. SHAYEGHI, M. MAHDAVI and A. BAGHERI
- M. ROKNI
- P. ZHANG, L. SONG, H. LU, J. WANG and Y. HU
- A. DEMIRBAS
- J. QIAN, Z. YUN and H. SHI
- Y. FANG, H. KANG, W. WANG, H. LIU and X. GAO
- H. M. HASANIEN, S. M. MUYEEN and J. TAMURA
- D. ARSLAN, M. MUSA ÖZCAN and H. O. MENGES
- 2548 Experimental and modeling studies on thermosiphon domestic solar water heaters with flat-plate collectors at clear nights
- 2557 Analysis of a combined Rankine-vapour-compression refrigeration cycle
- 2565 Choice of the Ångström-PreScott coefficients: Are time-dependent ones better than fixed ones in modeling global solar irradiance?
- 2575 Estimation of daily solar radiation from routinely observed meteorological data in Chongqing, China
- 2580 An efficient cultural self-organizing migrating strategy for economic dispatch optimization with valve-point effect
- 2588 Comparison of nano-MnO₂ derived from different manganese sources and influence of active material weight ratio on performance of nano-MnO₂/activated carbon supercapacitor
- 2595 Tea seed upgrading facilities and economic assessment of biodiesel production from tea seed oil
- 2600 Horizontal ground coupled heat pump: Thermal-economic modeling and optimization
- 2613 Parallel combination of FC and UC for vehicular power systems using a multi-input converter-based power interface
- 2623 Competitiveness of hydrogen production by High Temperature Electrolysis: Impact of the heat source and identification of key parameters to achieve low production costs
- 2635 Techno-economic assessment and optimization of Stirling engine micro-cogeneration systems in residential buildings
- 2647 Optimal methodology for a machining process scheduling in spot electricity markets
- 2655 Application assessment of system protection schemes for power network congestion management
- 2663 Testing and thermal modeling of radiant panels systems as commissioning tool
- 2678 COA based robust output feedback UPFC controller design
- 2685 Studying effect of bundle lines on TNEP considering network losses using decimal codification genetic algorithm
- 2692 Multiple regression models for energy use in air-conditioned office buildings in different climates
- 2698 Effect of door opening and defrost cycle on a freezer with phase change panels
- 2707 Electricity price forecasting using Enhanced Probability Neural Network
- 2715 An improved DPSO with mutation based on similarity algorithm for optimization of transmission lines loading
- 2724 Thermodynamic analysis of an integrated solid oxide fuel cell cycle with a rankine cycle
- 2733 The influence of expanded graphite on thermal properties for paraffin/high density polyethylene/chlorinated paraffin/antimony trioxide as a flame retardant phase change material
- 2738 Use of algae as biofuel sources
- 2750 Cogeneration of biodiesel and nontoxic cottonseed meal from cottonseed processed by two-phase solvent extraction
- 2757 Study on polyethylene glycol/epoxy resin composite as a form-stable phase change material
- 2762 Speed control of permanent magnet excitation transverse flux linear motor by using adaptive neuro-fuzzy controller
- 2769 Evaluation of drying methods with respect to drying parameters, some nutritional and colour characteristics of peppermint (*Mentha x piperita* L.)

(Contents continued on last page of this issue)

M. N. BOUAZIZ and A. AZIZ	
D. GORDIĆ, M. BABIĆ, N. JOVIĆIĆ, V. ŠUŠTERŠIĆ, D. KONČALOVIĆ and D. JELIĆ	
J. SHAH, M. RASUL JAN, F. MABOOD and F. JABEEN	
X. DENG, Z. FANG and Y.-H. LIU	
M. H. ARSHAD, R. KAHRAMAN, A. Z. SAHIN and R. BEN-MANSOUR	
D. CHEN, S. WANG, M. XIAO and Y. MENG	
M. K. CHANDEL, L. F. PRATSON and E. WILLIAMS	
H. F. NASPOLINI, H. S. G. MILITÃO and R. RÜTHER	
A. M. DELGADO-TORRES and L. GARCÍA-RODRÍGUEZ	
K. M. TSANG, L. SUN and W. L. CHAN	
A. KESKIN, A. YAŞAR, M. GÜRÜ and D. ALTIPARMAK	
L. ZALEWSKI, S. LASSUE, D. ROUSSE and K. BOUKHALFA	
A. KHEDHER and M. FAOUZI MIMOUNI	
Y. WANG, J. ZHOU, H. QIN and Y. LU	
P. SHARMA and T. S. BHATTI	
A. M. DELGADO-TORRES and L. GARCÍA-RODRÍGUEZ	
F. O. HOCALOĞLU	
H. SHAYEGHI, A. SAFARI and H. A. SHAYANFAR	
Y.-L. TU, T.-J. CHANG, C.-I. HSIEH and J.-Y. SHIH	
A. KILICARSLAN and M. HOSOZ	
J. I. PÉREZ-DÍAZ, J. R. WILHELMI and L. A. AREVALO	
A. KALETA and K. GÖRNICKI	
D. RAZUS, D. OANCEA, V. BRINZEA, M. MITU and C. MOVILEANU	
D. H. QI, H. CHEN, L. M. GENG and Y. Z. BIAN	
I. SADLI, M. URBAIN, M. HINAJE, J.-P. MARTIN, S. RAËL and B. DAVAT	
F. VALENCIAGA	
2776	Simple and accurate solution for convective-radiative fin with temperature dependent thermal conductivity using double optimal linearization
2783	Development of energy management system – Case study of Serbian car manufacturer
2791	Catalytic pyrolysis of LDPE leads to valuable resource recovery and reduction of waste problems
2802	Ultrasonic transesterification of <i>Jatropha curcas</i> L. oil to biodiesel by a two-step process
2808	Second law analysis of compressible flow through a diffuser subjected to constant heat flux at wall
2816	Synthesis and properties of novel sulfonated poly(arylene ether sulfone) ionomers for vanadium redox flow battery
2825	Potential economies of scale in CO ₂ transport through use of a trunk pipeline
2835	The role and benefits of solar water heating in the energy demands of low-income dwellings in Brazil
2846	Analysis and optimization of the low-temperature solar organic Rankine cycle (ORC)
2857	Identification and modelling of Lithium ion battery
2863	Usage of methyl ester of tall oil fatty acids and resinic acids as alternative diesel fuel
2869	Experimental and numerical characterization of thermal bridges in prefabricated building walls
2878	Sensorless-adaptive DTC of double star induction motor
2893	Improved chaotic particle swarm optimization algorithm for dynamic economic dispatch problem with valve-point effects
2901	A review on electrochemical double-layer capacitors
2913	Preliminary design of seawater and brackish water reverse osmosis desalination systems driven by low-temperature solar organic Rankine cycles (ORC)
2921	Novel analytical hourly solar radiation models for photovoltaic based system sizing algorithms
2930	PSS and TCSC damping controller coordinated design using PSO in multi-machine power system
2938	Artificial neural networks in the estimation of monthly capacity factors of WECS in Taiwan
2947	Energy and irreversibility analysis of a cascade refrigeration system for various refrigerant couples
2955	Optimal short-term operation schedule of a hydropower plant in a competitive electricity market
2967	Some remarks on evaluation of drying models of red beet particles
2979	Experimental and computed burning velocities of propane-air mixtures
2985	Experimental studies on the combustion characteristics and performance of a direct injection engine fueled with biodiesel/diesel blends
2993	Contributions of fractional differentiation to the modelling of electric double layer capacitance
3000	Second order sliding power control for a variable speed-constant frequency energy conversion system
III	Contents of Volume 51
XXI	Author Index