

Editorial

- 725 Chemical reactions in indoor sources**
Z. Guo and H. F. Hubbard

Original Papers

- 729 Experimental research on the indoor environment control of natural insulation materials: Carbonized rice hull and straw bales**
K.-I. Lee and D. Yeom
- 740 Impact of fire on *Dendrocalamus strictus* – a natural green composite building material**
N. Kr. Sharma, V. M. Chariar and R. Prasad
- 746 Bioclimatic chart analysis in three climate zones in Cyprus**
M. C. Katafygiotou and D. K. Serghides
- 761 The influence of air-conditioning managerial scheme in hybrid-ventilated classrooms on students' thermal perception**
C.-P. Chen, R.-L. Hwang, W. Liu, W.-M. Shih and S.-Y. Chang
- 771 Airborne microfungi in Oncology Service of Medical School Hospital of Trakya University**
S. Ökten, B. Şen, A. Asan and N. Bahadır
- 777 Comparison of the indoor air quality in an office operating with natural or mechanical ventilation using short-term intensive pollutant monitoring**
J. F. Montgomery, S. Storey and K. Bartlett

- 788 The effects of direct sunlight on light shelf performance under tropical sky**
Y.-W. Lim and M. H. Ahmad
- 803 Identifying the most influential parameter affecting natural ventilation performance in high-rise high-density residential buildings**
Y. W. Fung and W. L. Lee
- 813 A combined, large, multi-faceted bulbous façade glazed curtain with open atrium as a natural ventilation solution for an energy efficient sustainable office building in Southern China**
G. Bai, G. Gong, C. W. Yu and O. Zhen

Case Studies

- 833 Measurement of indoor radon, thoron and their progeny levels in dwellings of Union Territory Chandigarh, India: correlation with radon exhalation rates**
V. Mehta, A. Kumar, S. P. Singh, R. P. Chauhan and G. S. Mudahar
- 843 Long-term simultaneous measurement of indoor concentration of radon and thoron progeny in the dwellings of Una and Hamirpur District of Himachal Pradesh**
P. Bala and R. Mehra
- 852 Radon exhalation rates from some building materials used in Sudan**
A.-E. A. Elzain