

# Chinese Optics Letters

Volume 8  
Number 1  
January 10, 2010  
www.col.org.cn

## Atomic and Molecular Physics

- Fidelity of light storage in warm atomic gases at different storage time *Yuerong Qi, Hong Gao, and Shougang Zhang* 1

## Fiber Optics and Optical Communications

- Low birefringence depressed cladding photo-sensitive fiber *Feng Tu, Deming Liu, Jie Luo, Xinwei Qian, Chen Yang, and Tao Deng* 4

- Generation of millimeter-wave sub-carrier optical pulse by using cascaded all-pass cavities *Qinfeng Xu, Qing Ye, Zhengqing Pan, Zujie Fang, Haiwen Cai, and Ronghui Qu* 7

- Research on application of MOOC in optical packet switching *Fenfei Hou and Xiaohan Sun* 11

- Tunable and low bending loss of liquid-core fiber *Fenfen Dai, Yonghao Xu, and Xianfeng Chen* 14

## Holography

- Investigation on the phase shifts of extinction and phase gratings in polymethyl methacrylate *Wei Li, Baiquan Tang, Xinzheng Zhang, Feng Gao, Longchang Liu, Qiang Wu, Leiting Pan, Cibo Lou, Shangyu Guo, Romano A. Rupp, and Jingjun Xu* 18

## Image Processing

- A full resolution autostereoscopic 3D display based on polarizer parallax barrier *Qionghua Wang, Yuhong Tao, Wuxiang Zhao, and Dahai Li* 22

- Infrared small target detection based on modified local entropy and EMD *He Deng, Jianguo Liu, and Zhong Chen* 24

- Exaggeration of facial expressions from facial motion capture data *Seongah Chin and Chung-Yeon Lee* 29

## Instrumentation, Measurement, and Metrology

- A three-step system calibration procedure with error compensation for 3D shape measurement *Haihua Cui, Wenhe Liao, Xiaosheng Cheng, Ning Dai, and Tianran Yuan* 33

## Lasers and Laser Optics

- Femtosecond laser microstructuring of nickel foil *Wei Jia, Bin Zhou, Xun Li, Lu Chai, Ruobing Zhang, and Chingyue Wang* 38
- Damage characteristics of HfO<sub>2</sub>/SiO<sub>2</sub> high reflector at 45° incidence in 1-on-1 and N-on-1 tests *Xiaofeng Liu, Dawei Li, Yuan'an Zhao, Xiao Li, Xiulan Ling, and Jianda Shao* 41
- Flat-top laser beam generated by coherent beam combining of Gaussian lasers *Kun Gao, Lixin Xu, Rui Zheng, Guoliang Chen, Huan Zheng, and Hai Ming* 45
- Experimental investigation of a seven-element hexagonal fiber coherent array *Xinyan Fan, Jingjiao Liu, Jinsheng Liu, and Jingli Wu* 48
- Single-frequency phosphate glass fiber laser with 100-mW output power at 1535 nm and its polarization characteristics *Zhengqing Pan, Haiwen Cai, Li Meng, Jianxin Geng, Qing Ye, Zujie Fang, and Ronghui Qu* 52

## Machine Vision

- Study on the position and orientation measurement method with monocular vision system *Peng Wang, Xu Xiao, Zimiao Zhang, and Changku Sun* 55
- Eye location under different eye poses, scales, and illuminations *Jinghe Yuan* 59

## Materials

- Spectroscopic properties of Tm, Ho: LiLuF<sub>4</sub> *Haiyan Peng, Kun Zhang, Lianhan Zhang, Yin Hang, Jianqiu Xu, Yulong Tang, Yan Cheng, Jing Xiong, Chengchun Zhao, Guangzhu Chen, and Xiaoming He* 63
- Er<sup>3+</sup>/Tm<sup>3+</sup>/Yb<sup>3+</sup> tridoped oxyfluoride glass ceramics with efficient upconversion white-light emission *Chenxia Li, Shiqing Xu, Renguang Ye, Shilong Zhao, Degang Deng, and Songlin Zhuang* 66
- Femtosecond measurement of third-order optical nonlinearities in Bi<sub>2</sub>O<sub>3</sub>-B<sub>2</sub>O<sub>3</sub>-BaO glasses *Tiefeng Xu, Feifei Chen, Shirun Dai, Qihua Nie, Xiang Shen, and Xunsi Wang* 70
- First-principles study on the optical properties for CsI crystal with a pair of V<sub>Cs</sub><sup>1-</sup>-V<sub>I</sub><sup>1+</sup> *Tingyu Liu, Feinan Yan, Jun Chen, and Liping Liang* 74
- 2-μm emission performance of Tm<sup>3+</sup>-Ho<sup>3+</sup> co-doped tellurite glasses *Meng Wang, Guonian Wang, Lixia Yi, Shunguang Li, Lili Hu, and Junjie Zhang* 78

## Medical Optics and Biotechnology

- In-vivo* fluorescence molecular tomography based on optimal small animal surface reconstruction *Daifa Wang, Xin Liu, Yanping Chen, and Jing Bai* 82
- Detection system for singlet oxygen luminescence in photodynamic therapy *Buhong Li, Huiyun Lin, Defu Chen, Min Wang, and Shusen Xie* 86

## Nonlinear Optics

- Analytical self-similar solutions of the Ginzburg-Landau Equation with three-order dispersion effect *Jie Feng, Wencheng Xu, Weici Liu, and Songhao Liu* 89
- Quantitative deviation of the two-photon absorption coefficient based on three laser pulse models *Peide Zhao, Yong Zhang, Wenxia Bao, Zhongya Zhang, Dayun Wang, Ming Liu, and Zhidong Zhang* 93

## Optical Design and Fabrication

- Fabrication and measurement of optical characterization of one dimensional photonic crystal with defect *Kai Tong, Fei Wu, and Zhibin Wang* 99
- Development of an optical probe to measure the flattened area of ocular cornea *Xueyong Zhang, Jianguo Ma, Rongsheng Lu, Yibao Li, Zhen Tang, and Guohong Liu* 103

## Optical Devices

- Multi-channel surface acoustic wave device and its application on all-fiber acousto-optic modulation *Luming Zhao and Qida Zhao* 107

## Physical Optics

- Light propagation and reflection-refraction event in absorbing media *Jianqi Shen, Haitao Yu, and Jindeng Lu* 111

## Quantum Optics

- Slow light deflection in Gaussian pumped atomic medium *Chunfang Wang, Jing Cheng, and Shensheng Han* 115

## Thin Films

- Evolution of stress in evaporated silicon dioxide thin films *Ming Fang, Dafei Hu, and Jianda Shao* 119

## Ultrafast Optics

- Amplified spontaneous emission contrast of CPA laser *Yi Xu, Yuxin Leng, Lihuang Lin, Wenyao Wang, Yansui Huang, Ruxin Li, and Zhizhan Xu* 123

Light  
very  
ture  
lariza  
electr  
been  
polar  
tum  
 $\alpha|1 >$   
which  
Lig  
group  
by th  
light  
use a  
trans  
polar  
witho  
duce  
light  
tions,  
Turn  
conve  
the q  
to th  
time  
out.

The  
fidel  
strate  
expa  
tum  
quan  
will s  
proce  
spin  
Depo  
atom  
exter  
netic  
atom